



Marine Gear Oil Reversing Clutch

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Issue date: 15-5-2019 Revision date: 26-10-2020 Supersedes: 1-7-2019 version: 5.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Marine Gear Oil Reversing Clutch
Product code : BL057000
Type of product : Neutral
Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use, Consumer use
Industrial/Professional use spec : Non-dispersive use
Used in closed systems
Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

MPM International Oil Company
Cyclotronweg 1
2629 HN Delft Delft - Nederland
T +31 (0)15 2514030 - F +31 (0)15 2514031
msds@mpmoil.nl - www.mpmoil.nl

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate. May produce an allergic reaction.
EUH210 - Safety data sheet available on request.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Marine Gear Oil Reversing Clutch

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	15 – 40	Carc. 1B, H350
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	(CAS-No.) 72623-87-1 (EC-No.) 276-738-4 (EC Index-No.) 649-483-00-5 (REACH-no) 01-2119474889-13	1 – 2,4	Asp. Tox. 1, H304
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol	(CAS-No.) 91648-65-6 (EC-No.) 293-927-7 (REACH-no) 01-2119976351-35	1 – 2,4	Aquatic Chronic 3, H412
bis(nonylphenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	1 – 2,4	Aquatic Chronic 4, H413
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	(CAS-No.) 93882-40-7 (EC-No.) 299-434-3 (REACH-no) 01-2120735527-50	0,1 – 0,49	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich	(CAS-No.) 398141-87-2 (EC-No.) 800-172-4 (REACH-no) 01-2119969520-35	0,1 – 0,24	Aquatic Chronic 2, H411
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts	(CAS-No.) 68457-79-4 (EC-No.) 270-608-0 (REACH-no) 01-2119493628-22	0,1 – 0,24	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General	: Not expected to present a significant hazard under anticipated conditions of normal use. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
After inhalation	: Move the affected person away from the contaminated area and into the fresh air. Get medical advice/attention if you feel unwell.
After skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Gently wash with plenty of soap and water.
After eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. In case of eye contact, immediately rinse with clean water for 10-15 minutes.
After ingestion	: Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use. Not expected to present a significant hazard under anticipated conditions of normal use.
After inhalation	: Not expected to present a significant hazard under anticipated conditions of normal use.
After skin contact	: Not expected to present a significant hazard under anticipated conditions of normal use.
After eye contact	: Not expected to present a significant hazard under anticipated conditions of normal use.
After ingestion	: Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream. Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No additional information available.
-------------	--

5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Marine Gear Oil Reversing Clutch

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.
Other information : Use a water spray to cool exposed surfaces and to protect fire-fighters.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.
Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Wear recommended personal protective equipment.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up : Sand or other absorbent. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information : If spilled, may cause the floor to be slippery.

6.4. Reference to other sections

No additional information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid all unnecessary exposure.
Handling temperature : < 40 °C
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed.
Storage conditions : Keep container closed when not in use.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.
Storage temperature : < 40 °C
Storage area : Keep in a cool, well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Marine Gear Oil Reversing Clutch

EU	IOELV TWA (mg/m ³)	5 mg/m ³
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
EU	IOELV TWA (mg/m ³)	5
EU	IOELV STEL (mg/m ³)	10 mg/m ³
Germany	TRGS 910 Acceptable concentration notes	

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

EU	IOELV TWA (mg/m ³)	5 mg/m ³
EU	IOELV STEL (mg/m ³)	10 mg/m ³
Germany	TRGS 910 Acceptable concentration notes	

Marine Gear Oil Reversing Clutch

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information

: Based on ACGIH TLV, a concentration of 5 mg/m³ oilspray (TWA, 8 hour workday) is recommended.

8.2. Exposure controls

Technical measures:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Safety glasses.

Hand protection:

In case of repeated or prolonged contact wear gloves. Wear protective gloves.

Eye protection:

Safety goggles

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Oily.
Colour	: red.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 160 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 870 g/l
Solubility	: Water: Negligible.
Log Pow	: No data available
Viscosity, kinematic	: 37 mm ² /s 40C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1 – 6 vol %

9.2. Other information

No additional information available

Marine Gear Oil Reversing Clutch

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agent.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Additional information	: Elevated temperatures or mechanical action can irritate the nose, throat and lungs. Low order of acute / systemic toxicity.

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

LD50 oral rat	> 5000 mg/kg bodyweight OECD 401 ; OECD 420
LD50 oral	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

LD50 oral rat	> 5000 mg/kg bodyweight OECD 401
---------------	----------------------------------

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol (91648-65-6)

LD50 oral rat	> 10000 mg/kg OECD 401
LD50 dermal rat	> 2000 mg/kg OECD 402
LC50 Inhalation - Rat	> 2,75 mg/l/4h OECD 403

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7)

LD50 oral	> 10000 mg/kg
-----------	---------------

Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)

LD50 oral rat	3600 mg/kg OECD 401
LD50 dermal rat	20000 mg/kg OECD 402

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich (398141-87-2)

LD50 dermal rabbit	4000 – 8000 mg/kg bodyweight US 16 CFR 1500.3 Federal Hazardous Substances Act
--------------------	--

bis(nonylphenyl)amine (36878-20-3)

LD50 oral rat	> 5000 mg/kg OECD 401
LD50 dermal rat	> 2000 mg/kg OECD 402

Skin corrosion/irritation	: Not classified
Additional information	: Repeated or prolonged skin contact may cause irritation Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Marine Gear Oil Reversing Clutch

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich (398141-87-2)

NOAEL (animal/male, F0/P)	175 mg/kg bodyweight male rat: OECD 421
NOAEL (animal/female, F0/P)	175 mg/kg bodyweight Male rat: OECD Guideline 421

STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight OECD 408
----------------------------	-------------------------------

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight OECD 408
----------------------------	-------------------------------

Aspiration hazard	: Not classified
Additional information	: Entering the lungs by ingestion or vomiting may cause severe lung damage. Based on available data, the classification criteria are not met

Marine Gear Oil Reversing Clutch

Viscosity, kinematic	37 mm ² /s 40C
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

EC50 Daphnia 1	10000 mg/l
NOEC (acute)	> 100 mg/l @Algae

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol (91648-65-6)

LC50 fish 1	> 1000 mg/l Pimpephales promelas
EC50 Daphnia 1	41 mg/l Dpahnia Magna
EC50 72h algae (1)	> 100 mg/l Selenastrum capricornutum
NOEC chronic crustacea	32 mg/l Daphnia magna @2d
NOEC chronic algae	100 mg/l Selenastrum capricornutum @3d

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7)

LC50 fish 1	> 1000 ml/l 96h Cyprinodon variegatus OECD 203
LC50 fish 2	> 100 mg/l 96h Oryzias latipes OECD 203
EC50 Daphnia 1	9,5 mg/l OECD 202
EC50 72h algae (1)	> 100 mg/l Pseudokirchneriella subscapitata- OECD 201

Marine Gear Oil Reversing Clutch

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)

LC50 fish 1	4,5 ml/l OECD 203 (Cyprinodon variegatus, 96h)
EC50 Daphnia 1	23 ml/l OECD 202, Daphnia magna , 72h)
EC50 72h algae (1)	21 mg/l

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich (398141-87-2)

LC50 fish 1	2,4 mg/l Oncorhynchus mykiss
LC50 fish 2	3,3 Cyprinodon variegatus
EC50 Daphnia 1	4,6 mg/l Faphnia Magna
EC50 72h algae (1)	63 mg/l Selenastrum capricornutum
NOEC chronic fish	1 mg/l @4d Oncorhynchus mykiss
NOEC chronic crustacea	0,63 mg/l 2d Daphnia magna
NOEC chronic algae	0,313 mg/l 3d Selenastrum capricornutum

bis(nonylphenyl)amine (36878-20-3)

LC50 fish 1	> 100 mg/l OECD 203 (Danio rerio @ 96h)
EC50 Daphnia 1	> 100 mg/l OECD 202 Daphnia magna
EC50 72h algae (1)	> 100 mg/l Desmodesmus subspicatus
EC50 72h algae (2)	> 100 mg/l Desmodesmus subspicatus
EC50 96h algae (1)	870 mg/l Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Marine Gear Oil Reversing Clutch

Persistence and degradability	Not soluble in water, so only minimally biodegradable. May cause long-term adverse effects in the environment.
-------------------------------	--

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Biodegradation	≈ 30 % 28d @OECD 301F
----------------	-----------------------

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol (91648-65-6)

Biodegradation	2 % @28d-OECD TG 301F
----------------	-----------------------

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7)

Persistence and degradability	Not readily biodegradable.
Biodegradation	11 – 14 % OECD 301

Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)

Biodegradation	1,5 % OECD 301B
----------------	-----------------

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich (398141-87-2)

Persistence and degradability	Not readily biodegradable.
BOD (% of ThOD)	9,6 % ThOD Thod 28d OECD TG 301F

bis(nonylphenyl)amine (36878-20-3)

Persistence and degradability	Not readily biodegradable.
Biodegradation	1 % @28d

12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Log Pow	> 4
---------	-----

Marine Gear Oil Reversing Clutch

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Log Pow	> 6
Bioaccumulative potential	highly bioaccumulative.

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol (91648-65-6)

Log Kow	9,4 measured
---------	--------------

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7)

Bioaccumulative potential	Bioaccumulative potential.
---------------------------	----------------------------

Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)

Log Pow	0,69
---------	------

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich (398141-87-2)

Bioconcentration factor (BCF REACH)	27,54
Log Kow	4,1
Bioaccumulative potential	Expected to bio accumulate.

bis(nonylphenyl)amine (36878-20-3)

Log Pow	> 7,6
Bioaccumulative potential	Bioaccumulative potential.

12.4. Mobility in soil

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7)

Soil	Adsorbs into the soil.
------	------------------------

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich (398141-87-2)

Soil	Adsorbs into the soil.
------	------------------------

bis(nonylphenyl)amine (36878-20-3)

Soil	Adsorbs into the soil.
------	------------------------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant.

Waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG
14.1. UN number	
Not applicable	Not applicable
14.2. UN proper shipping name	
Not applicable	Not applicable

Marine Gear Oil Reversing Clutch

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)

Not applicable

Not applicable

14.4. Packing group

Not applicable

Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Dangerous for the environment : No
Marine pollutant : No

No supplementary information available

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Marine Gear Oil Reversing Clutch

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H319	Causes serious eye irritation.
H350	May cause cancer.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.